

Цветная этикеточная клеевая бумага HERMAcolor grey, HERMAcolor yellow, HERMAcolor blue, HERMAcolor red, HERMAcolor green

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884


Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47


эл.почта: has@nt-rt.ru || сайт: <https://herma.nt-rt.ru/>

Product Code	Product	Useable width	Net width	Min. quantity	Caliper	Grammage
00425	HERMAcolor grey (150)/62Dpc/512	2,000 mm		2,000 m ²	ca. 152 µm	ca. 152 g/m ²
09436	HERMAcolor grey (150)/62Z/515	2,000 mm		48,000 m ²	ca. 143 µm	ca. 153 g/m ²
Product Code	Product	Useable width	Net width	Min. quantity	Caliper	Grammage
02611	HERMAcolor yellow (157)/62Dpc/512	2,000 mm		2,000 m ²	ca. 151 µm	ca. 151 g/m ²
11680	HERMAcolor yellow (157)/62A/523	1,003 mm		1,000 m ²	ca. 150 µm	ca. 153 g/m ²
12937	HERMAcolor yellow (157)/42N/512 18g/m ² S44	1,523 mm		7,500 m ²	ca. 157 µm	ca. 152 g/m ²
16193	HERMAcolor yellow (157)/62A/520	1,003 mm		3,000 m ²	ca. 148 µm	ca. 152 g/m ²
Product Code	Product	Useable width	Net width	Min. quantity	Caliper	Grammage
05588	HERMAcolor blue (158)/62Dpc/512	2,000 mm		2,000 m ²	ca. 151 µm	ca. 152 g/m ²
11681	HERMAcolor blue (158)/62A/523	1,003 mm		1,000 m ²	ca. 139 µm	ca. 155 g/m ²
15195	HERMAcolor blue (158)/63B/523	1,003 mm		3,000 m ²	ca. 156 µm	ca. 159 g/m ²
16558	HERMAcolor blue (158)/62A/527	1,003 mm		3,000 m ²	ca. 170 µm	ca. 172 g/m ²
Product Code	Product	Useable width	Net width	Min. quantity	Caliper	Grammage
05003	HERMAcolor red (159)/62Dpc/512	2,000 mm		2,000 m ²	ca. 151 µm	ca. 152 g/m ²
11682	HERMAcolor red (159)/62A/523	1,003 mm		1,000 m ²	ca. 139 µm	ca. 155 g/m ²
14909	HERMAcolor red (159)/63B/523	1,003 mm		3,000 m ²	ca. 156 µm	ca. 159 g/m ²
16194	HERMAcolor red (159)/62A/520	1,003 mm		3,000 m ²	ca. 138 µm	ca. 153 g/m ²
Product Code	Product	Useable width	Net width	Min. quantity	Caliper	Grammage
05589	HERMAcolor green (160)/62Dpc/512	2,000 mm		2,000 m ²	ca. 151 µm	ca. 152 g/m ²
11683	HERMAcolor green (160)/62A/523	1,003 mm		1,000 m ²	ca. 150 µm	ca. 153 g/m ²

Product information

HERMAcolor green (160)**Product code 50029** HERMAcolor green (160)

Issue 12/2022

HERMAcolor green (160)Green penetration dyed, calendered label paper,
FSC®-Mix Credit

Grammage	g/m ²	approx. 78	ISO 536
Caliper	µm	approx. 83	ISO 534
Tensile strength (MD)	N/15 mm	approx. 75	DIN 53112
Tensile strength (CD)	N/15 mm	approx. 35	DIN 53112
Stiffness (MD)	mN	approx. 260	DIN 53121
Stiffness (CD)	mN	approx. 130	DIN 53121
Opacity	%	approx. 96	ISO 2471

Application and use

HERMAcolor green shows good print quality with laser and inkjet printers. The calendered paper surface can be printed using conventional printing methods. Depending on the quality requirements, a primer can be advantageous.

The paper is produced in an ecologically safe method by using colours without heavy metals in compliance with DIN EN 71-3.



Thanks to its high non-fading characteristics, HERMAcolor green is also used for labelling office files. It is equally well suited for labels with one- or multi-colour imprint, e.g. for labelling goods.

The pulp for this paper comes from FSC® certified forest management and other controlled sources.

Product information

HERMAcolor red (159)**Product code 50028**

Issue 12/2022

 HERMAcolor red (159)**HERMAcolor red (159)**Red penetration dyed, calendered label paper,
FSC®-Mix Credit

Grammage	g/m ²	approx. 78	ISO 536
Caliper	µm	approx. 83	ISO 534
Tensile strength (MD)	N/15 mm	approx. 75	DIN 53112
Tensile strength (CD)	N/15 mm	approx. 35	DIN 53112
Stiffness (MD)	mN	approx. 260	DIN 53121
Stiffness (CD)	mN	approx. 130	DIN 53121
Opacity	%	approx. 93	ISO 2471

Application and use

HERMAcolor red shows good print quality with laser and inkjet printers. The calendered paper surface can be printed using conventional printing methods. Depending on the quality requirements, a primer can be advantageous.

The paper is produced in an ecologically safe method by using colours without heavy metals in compliance with DIN EN 71-3.



Thanks to its high non-fading characteristics, HERMAcolor red is also used for labelling office files. It is equally well suited for labels with one- or multi-colour imprint, e.g. for labelling goods.

The pulp for this paper comes from FSC® certified forest management and other controlled sources.

Product information

HERMAcolor blue (158)**Product code 50027**

Issue 12/2022

 HERMAcolor blue (158)**HERMAcolor blue (158)**Blue penetration dyed, calendered label paper,
FSC®-Mix Credit

Grammage	g/m ²	approx. 78	ISO 536
Caliper	µm	approx. 83	ISO 534
Tensile strength (MD)	N/15 mm	approx. 75	DIN 53112
Tensile strength (CD)	N/15 mm	approx. 35	DIN 53112
Stiffness (MD)	mN	approx. 260	DIN 53121
Stiffness (CD)	mN	approx. 130	DIN 53121
Opacity	%	approx. 95	ISO 2471

Application and use

HERMAcolor blue shows good print quality with laser and inkjet printers. The calendered paper surface can be printed using conventional printing methods. Depending on the quality requirements, a primer can be advantageous.

The paper is produced in an ecologically safe method by using colours without heavy metals in compliance with DIN EN 71-3.



Thanks to its high non-fading characteristics, HERMAcolor blue is also used for labelling office files. It is equally well suited for labels with one- or multi-colour imprint, e.g. for labelling goods.

The pulp for this paper comes from FSC® certified forest management and other controlled sources.

Product information

HERMAcolor yellow (157)**Product code 50026**

Issue 12/2022

 HERMAcolor yellow (157)**HERMAcolor yellow (157)**Yellow penetration dyed, calendered label paper,
FSC®-Mix Credit

Grammage	g/m ²	approx. 78	ISO 536
Caliper	µm	approx. 83	ISO 534
Tensile strength (MD)	N/15 mm	approx. 75	DIN 53112
Tensile strength (CD)	N/15 mm	approx. 35	DIN 53112
Stiffness (MD)	mN	approx. 260	DIN 53121
Stiffness (CD)	mN	approx. 130	DIN 53121
Opacity	%	approx. 89	ISO 2471

Application and use

HERMAcolor yellow shows good print quality with laser and inkjet printers. The calendered paper surface can be printed using conventional printing methods. Depending on the quality requirements, a primer can be advantageous.

The paper is produced in an ecologically safe method by using colours without heavy metals in compliance with DIN EN 71-3.



Thanks to its high non-fading characteristics, HERMAcolor yellow is also used for labelling office files. It is equally well suited for applications demanding a higher opacity.

The pulp for this paper comes from FSC® certified forest management and other controlled sources.

Product information

HERMAcolor grey (150)**Product code 50025**

Issue 12/2022

 HERMAcolor grey (150)**HERMAcolor grey (150)**Grey penetration dyed, calendered label paper,
FSC®-Mix Credit

Grammage	g/m ²	approx. 78	ISO 536
Caliper	µm	approx. 83	ISO 534
Tensile strength (MD)	N/15 mm	approx. 75	DIN 53112
Tensile strength (CD)	N/15 mm	approx. 35	DIN 53112
Stiffness (MD)	mN	approx. 260	DIN 53121
Stiffness (CD)	mN	approx. 130	DIN 53121
Opacity	%	approx. 95	ISO 2471

Application and use

HERMAcolor grey shows good print quality with laser and inkjet printers. The calendered paper surface can be printed using conventional printing methods. Depending on the quality requirements, a primer can be advantageous.

The paper is produced in an ecologically safe method by using colours without heavy metals in compliance with DIN EN 71-3.

Thanks to its high non-fading characteristics, HERMAcolor grey is also used for labelling office files. It is equally well suited for applications demanding a higher opacity.

The pulp for this paper comes from FSC® certified forest management and other controlled sources.



По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: has@nt-rt.ru || сайт: <https://herma.nt-rt.ru/>